

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	51	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1 or instruction\$1)) same (hierarchical or tree\$1 or trie or node\$1 or component\$1) same ((generat\$3 or build\$3 or creat\$3) with second with (software near2 component\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:17
L4	63	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1 or instruction\$1)) same (hierarchical or tree\$1 or trie or node\$1 or component\$1) same (XML or html or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5)	USPAT	OR	OFF	2007/09/29 16:37
L5	42	4 and ("707"/\$.ccls. or "717"/\$.ccls. or "715"/\$.ccls. or "719"/\$.ccls.)	USPAT	OR	OFF	2007/09/29 16:26
L6	4	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1 or instruction\$1) with (hierarchical or tree\$1 or trie or node\$1 or component\$1)) same ("GUI" or "graphical user interface") same (XML or html or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5)	USPAT	OR	OFF	2007/09/29 16:40
L7	4	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1) with (hierarchical or tree\$1 or trie or node\$1 or component\$1)) same ("GUI" or "graphical user interface") same (XML or html or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5)	USPAT	OR	OFF	2007/09/29 16:40
L8	28	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1) with (hierarchical or tree\$1 or trie or node\$1 or component\$1)) same (XML or html or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5)	USPAT	OR	OFF	2007/09/29 16:41

## EAST Search History

L9	3	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1) with (hierarchical or tree\$1 or trie or node\$1 or component\$1)) same (XML or html or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5) same travers\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:43
L10	3	((map\$4 or associat\$3) with ((software\$1 near2 component\$1) or software\$1) with (hierarchical or tree\$1 or trie or node\$1 or component\$1)) same (XML or html or hypertext or sgml or (markup near2 language\$1)) same (translat\$4 or convert\$3 or transmission or transmit\$4 or transform\$5) same travers\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:45
L11	0	10 and 707/100,102,103R.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:44
L12	0	(travers\$3 with ((data near2 strucutre) or database\$1 or container\$1)) same ((generat\$3 or creat\$3) with key\$1 with name\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:47
L13	0	(travers\$3 with ((data near2 strucutre) or database\$1 or container\$1)) same ((generat\$3 or creat\$3) with key\$1 with name\$1) same (trie or tree\$1 or hierarchical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:48
L14	0	(travers\$3 with (trie or tree\$1 or hierarchical or ((data near2 strucutre) or database\$1 or container\$1))) same ((generat\$3 or creat\$3) with key\$1 with name\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:52

## EAST Search History

L15	14922	(travers\$3 with (trie or tree\$1 or hierarchical or ((data near2 strucutre) or database\$1 or container\$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:52
L16	121	(travers\$3 with (trie or tree\$1 or hierarchical or ((data near2 strucutre) or database\$1 or container\$1))) same ((generat\$3 or creat\$3) with (id or key\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:53
L17	4	(travers\$3 with (trie or tree\$1 or hierarchical or ((data near2 strucutre) or database\$1 or container\$1))) same ((generat\$3 or creat\$3) with (id or key\$1) with (name\$1 or pathname\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:56
L18	13	(travers\$3 with (trie or tree\$1 or hierarchical or ((data near2 strucutre) or database\$1 or container\$1))) same ((generat\$3 or creat\$3) with (id or key\$1) with (name\$1 or pathname\$1 or path))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:57
L19	10	18 and (@ad<"20030910" or @rlad<"20030910")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 16:58